

Sequence Listing

<110> Zhang, Jingwu Z.
 Ho, Walter Kowk Keung
 Zhang, Dongqing
 Sun, Wei
 <120> T Cell Receptor CDR3 Sequence and Methods for Detecting and
 Treating Rheumatoid Arthritis
 <130> 057186.000003
 <140>
 <151> 2002-07-02
 <160> 168

<210> 1
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> part of the complementary determining region-3 (CDR3) in the
 V β 14 family (BV14 gene) of T cell receptors (TCR) in
 patients with rheumatoid arthritis (RA)
 <400> 1

agccaagctg acgggaccca t 21

<210> 2
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> part of the complementary determining region-3 (CDR3) in the
 V β 16 family (BV16 gene) of TCR in patients with RA
 <400> 2

agttccgggg gcagtctgtt c 21

<210> 3
 <211> 7
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Peptide
 <223> conserved amino acid sequence derived from CDR3 of TCR beta-
 chain BV14 in patients with RA
 <400> 3

Ser Gln Ala Asp Gly Thr His

<210> 4
 <211> 7
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Peptide
 <223> conserved amino acid sequence derived from CDR3 of TCR beta-chain BV16 in patients with RA
 <400> 4

Ser Ser Gly Gly Ser Leu Phe
5

<210> 5
 <211> 4
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Motif
 <223> amino acid sequence motif derived from CDR3 of TCR beta-chain BV16 in patients with RA
 <400> 5

Ser Trp Gly Gly

<210> 6
 <211> 113
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> amino acid sequence of human β chain variable region V β 14 of T cell receptors
 <400> 6

Met	Gly	Pro	Gln	Leu	Leu	Gly	Tyr	Val	Val	Leu	Cys	Leu	Leu	Gly
				5					10					15
Ala	Gly	Pro	Leu	Glu	Ala	Gln	Val	Thr	Gln	Asn	Pro	Arg	Tyr	Leu
				20					25					30
Ile	Thr	Val	Thr	Gly	Lys	Lys	Leu	Thr	Val	Thr	Cys	Ser	Gln	Asn
				35					40					45
Met	Asn	His	Glu	Tyr	Met	Ser	Trp	Tyr	Arg	Gln	Asp	Pro	Gly	Leu
				50					55					60
Gly	Leu	Arg	Gln	Ile	Tyr	Tyr	Ser	Met	Asn	Val	Glu	Val	Thr	Asp
				65					70					75
Lys	Gly	Asp	Val	Pro	Glu	Gly	Tyr	Lys	Val	Ser	Arg	Lys	Glu	Lys
				80					85					90
Arg	Asn	Phe	Pro	Leu	Ile	Leu	Glu	Ser	Pro	Ser	Pro	Asn	Gln	Thr
				95					100					105
Ser	Leu	Tyr	Phe	Cys	Ala	Ser	Ser							
				110										

<210> 7
 <211> 96
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> amino acid sequence of human β chain variable region V β 16 of
 T cell receptors
 <400> 7

Ile	Glu	Ala	Gly	Val	Thr	Gln	Phe	Pro	Ser	His	Ser	Val	Ile	Glu
				5					10					15
Lys	Gly	Gln	Thr	Val	Thr	Leu	Arg	Cys	Asp	Pro	Ile	Ser	Gly	His
				20					25					30
Asp	Asn	Leu	Tyr	Trp	Tyr	Arg	Arg	Val	Met	Gly	Lys	Glu	Ile	Lys
				35					40					45
Phe	Leu	Leu	His	Phe	Val	Lys	Glu	Ser	Lys	Gln	Asp	Glu	Ser	Gly
				50					55					60
Met	Pro	Asn	Asn	Arg	Phe	Leu	Ala	Glu	Arg	Thr	Gly	Gly	Thr	Tyr
				65					70					75
Ser	Thr	Leu	Lys	Val	Gln	Pro	Ala	Glu	Leu	Glu	Asp	Ser	Gly	Val
				80					85					90
Tyr	Phe	Cys	Ala	Ser	Ser									
				95										

<210> 8
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV1 used in real-time PCR
 analysis
 <400> 8

aagcacctga tcacagcaac t 21

<210> 9
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV1 used in real-time PCR
 analysis
 <400> 9

tagttcagag tgcaagtcag g 21

<210> 10
 <211> 23
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV2 used in real-time PCR
 analysis
 <400> 10

ggttatctgt aagagtggaa cct 23

<210> 11
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV2 used in real-time PCR
 analysis
 <400> 11

aggatgggca ctggtcactg t 21

<210> 12
 <211> 24
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV3 used in real-time PCR
 analysis
 <400> 12

tcgagatatc tagtcaaaag gacg 24

<210> 13
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV3 used in real-time PCR
 analysis
 <400> 13

ggtgctggcg gactccagaa t 21

<210> 14
 <211> 22
 <212> DNA
 <213> *Artificial*

<220>
 <221> primer_bind
 <223> forward primer specific for TCR BV4 used in real-time PCR
 analysis
 <400> 14

aagcagggat atctgtcaac gt 22

<210> 15
 <211> 21
 <212> DNA
 <213> Artificial
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV4 used in real-time PCR
 analysis
 <400> 15

ttcagggctc atgttgctca c 21

<210> 16
 <211> 21
 <212> DNA
 <213> Artificial
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV5 used in real-time PCR
 analysis
 <400> 16

gatcaaaacg agaggacagc a 21

<210> 17
 <211> 22
 <212> DNA
 <213> Artificial
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV5 used in real-time PCR
 analysis
 <400> 17

agcaccaagg cgctcacatt ca 22

<210> 18
 <211> 21
 <212> DNA
 <213> Artificial
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV6 used in real-time PCR
 analysis

<400> 18
 ctcaggtgtg atccaatttc a 21
 <210> 19
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV6 used in real-time PCR analysis
 <400> 19
 cccccgctct gtgcgctgga t 21
 <210> 20
 <211> 25
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV7 used in real-time PCR analysis
 <400> 20
 catgggaatg acaaataaga agtct 25
 <210> 21
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV7 used in real-time PCR analysis
 <400> 21
 tggctgcagg gcgtgtaggt g 21
 <210> 22
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV8 used in real-time PCR analysis
 <400> 22
 ccccgccatg aggtgacaga g 21
 <210> 23

<211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV8 used in real-time PCR
 analysis
 <400> 23

gagtcacctgg gttctgaggg c 21

<210> 24
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV9 used in real-time PCR
 analysis
 <400> 24

ccaaaataacc tggtcacaca g 21

<210> 25
 <211> 22
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV9 used in real-time PCR
 analysis
 <400> 25

ccaggaatt gatgtgaaga tt 22

<210> 26
 <211> 22
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV10 used in real-time PCR
 analysis
 <400> 26

acctagactt ctggtcaaag ca 22

<210> 27
 <211> 21
 <212> DNA
 <213> *Artificial*

```

<220>
<221>     primer_bind
<223>     reverse primer specific for TCR BV10 used in real-time PCR
analysis
<400>     27

ggactggatc tccaaggtac a                                21

<210>     28
<211>     23
<212>     DNA
<213>     Artificial
<220>
<221>     primer_bind
<223>     forward primer specific for TCR BV11 used in real-time PCR
analysis
<400>     28

ttatagggac aggaaagaag atc                                23

<210>     29
<211>     21
<212>     DNA
<213>     Artificial
<220>
<221>     primer_bind
<223>     reverse primer specific for TCR BV11 used in real-time PCR
analysis
<400>     29

atgtgagggc ctggcagact c                                21

<210>     30
<211>     23
<212>     DNA
<213>     Artificial
<220>
<221>     primer_bind
<223>     forward primer specific for TCR BV12 used in real-time PCR
analysis
<400>     30

caagacacaa gatcacagag aca                                23

<210>     31
<211>     21
<212>     DNA
<213>     Artificial
<220>
<221>     primer_bind
<223>     reverse primer specific for TCR BV12 used in real-time PCR
analysis
<400>     31

```


ggcagcagac tccagagtga g 21

<210> 32
 <211> 23
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV13 used in real-time PCR analysis
 <400> 32

tgaagacagg acagagcatg aca 23

<210> 33
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV13 used in real-time PCR analysis
 <400> 33

cacagatgtc tgggagggag c 21

<210> 34
 <211> 23
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV14 used in real-time PCR analysis
 <400> 34

acccaagata cctcatcaca gtg 23

<210> 35
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV14 used in real-time PCR analysis
 <400> 35

agaggtctgg ttggggctgg g 21

<210> 36

<211> 23
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV15 used in real-time PCR analysis
 <400> 36

tcacaaagac aggaaagagg att 23

<210> 37
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV15 used in real-time PCR analysis
 <400> 37

ggggatggca gactctaggg a 21

<210> 38
 <211> 22
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV16 used in real-time PCR analysis
 <400> 38

gttccccagc cacagcgtaa ta 22

<210> 39
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV16 used in real-time PCR analysis
 <400> 39

cagttctgca ggctgcacct t 21

<210> 40
 <211> 22
 <212> DNA
 <213> *Artificial*
 <220>

```

<221>      primer_bind
<223>      forward primer specific for TCR BV17 used in real-time PCR
analysis
<400>      40

gtccccaaag tacctgttca ga                                22

<210>      41
<211>      21
<212>      DNA
<213>      Artificial
<220>
<221>      primer_bind
<223>      reverse primer specific for TCR BV17 used in real-time PCR
analysis
<400>      41

agctgtcggg ttcttttggg c                                21

<210>      42
<211>      21
<212>      DNA
<213>      Artificial
<220>
<221>      primer_bind
<223>      forward primer specific for TCR BV18 used in real-time PCR
analysis
<400>      42

agacacctgg tcaggaggag g                                21

<210>      43
<211>      21
<212>      DNA
<213>      Artificial
<220>
<221>      primer_bind
<223>      reverse primer specific for TCR BV18 used in real-time PCR
analysis
<400>      43

tgccgaatct cctcgacta c                                21

<210>      44
<211>      24
<212>      DNA
<213>      Artificial
<220>
<221>      primer_bind
<223>      forward primer specific for TCR BV19 used in real-time PCR
analysis
<400>      44

```

ccaggacatt tgggtcaaagg aaaa 24

<210> 45
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV19 used in real-time PCR analysis
 <400> 45

cagtgccgtg tctcccgggtt c 21

<210> 46
 <211> 19
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV20 used in real-time PCR analysis
 <400> 46

gaccctggtg cagcctgtg 19

<210> 47
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BV20 used in real-time PCR analysis
 <400> 47

gaggaggagc ttcttagaac t 21

<210> 48
 <211> 24
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BV21 used in real-time PCR analysis
 <400> 48

cccagatata agattacaga gaaa 24

<210> 49
 <211> 21
 <212> DNA

<223> reverse primer specific for TCR BV23 used in real-time PCR
analysis
<400> 53

cagctccaag gagctcatgt t 21

<210> 54
<211> 24
<212> DNA
<213> *Artificial*
<220>
<221> primer_bind
<223> forward primer specific for TCR BV24 used in real-time PCR
analysis
<400> 54

ccaagatacc aggttaccca gttt 24

<210> 55
<211> 21
<212> DNA
<213> *Artificial*
<220>
<221> primer_bind
<223> reverse primer specific for TCR BV24 used in real-time PCR
analysis
<400> 55

caggcctgggt gagcggatgt c 21

<210> 56
<211> 22
<212> DNA
<213> *Artificial*
<220>
<221> primer_bind
<223> forward primer specific for TCR BV25 used in real-time PCR
analysis
<400> 56

aaaacatctt gtcagagggg aa 22

<210> 57
<211> 21
<212> DNA
<213> *Artificial*
<220>
<221> primer_bind
<223> reverse primer specific for TCR BV25 used in real-time PCR
analysis
<400> 57

tgaatcctca agcttcgtag c 21

<210> 58
 <211> 19
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> forward primer specific for TCR BC used in real-time PCR analysis
 <400> 58

cagcgccctt gtgttgatg 19

<210> 59
 <211> 20
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> reverse primer specific for TCR BC used in real-time PCR analysis
 <400> 59

aagcgctggc aaaagaagaa 20

<210> 60
 <211> 18
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> BC primer used for run-off reactions
 <400> 60

cgacctcggg tgggaaca 18

<210> 61
 <211> 19
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BC primer used for run-off reactions
 <400> 61

cacagcgacc tcgggtggg 19

<210> 62
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>

<221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 62

actgtgagtc tggccttg t 21

<210> 63
 <211> 24
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 63

acaacggtta acttgggtccc cgaa 24

<210> 64
 <211> 24
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 64

ggtcctctac aacagtgagc caac 24

<210> 65
 <211> 24
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 65

aagagagaga gctgggttcc actg 24

<210> 66
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 66

ggagagtcga gttccatca 19

<210> 67
 <211> 24
 <212> DNA

<213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 67

tgtcacagtg agcctgggtcc catt 24

<210> 68
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 68

cctggcccga agaactgctc a 21

<210> 69
 <211> 24
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 69

gtcctccagt acgctcagcc taga 24

<210> 70
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 70

tgcttgggcc aaaatactgc g 21

<210> 71
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 71

tccccgcgcc gaagtactga a 21

<210> 72
 <211> 18
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 72

tcgagcacca ggagccgc 18

<210> 73
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 73

ctgctgccgg ccccgaaagt c 21

<210> 74
 <211> 21
 <212> DNA
 <213> *Artificial*
 <220>
 <221> primer_bind
 <223> FAM (expand)-labeled BJ primer used for run-off reactions
 <400> 74

tgaccgtgag cctggtgccc g 21

<210> 75
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST specimen of RA patients
 <400> 75

Tyr Phe Cys Ala Ser Ser Gln Asp Ser Gly Gly Gly Gly Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 76
 <211> 60
 <212> DNA

<213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 76

tattttctgtg ccagcagcca agatagcggg gggggagggtg agcagttctt cgggccagga 60

<210> 77
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 77

Tyr	Phe	Cys	Ala	Ser	Ser	Arg	Leu	Gly	Gln	Gly	Tyr	Asn	Glu	Gln
				5					10				15	
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 78
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 78

tattttctgtg ccagcagccg actgggacag ggctacaatg agcagttctt cgggccagga 60

<210> 79
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST
 specimen of RA patient
 <400> 79

Tyr	Phe	Cys	Ala	Ser	Ser	Gln	Asp	Leu	Asp	Ser	Tyr	Asn	Glu	Gln
				5					10				15	
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 80
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST specimen of RA patients
 <400> 80

tattttctgtg ccagcagcca agatctggac agctacaatg agcagttctt cgggccagga 60

<210> 81
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST specimen of RA patient
 <400> 81

Tyr	Phe	Cys	Ala	Ser	Ser	Gln	Gly	Thr	Ser	Gly	Ile	Thr	Glu	Gln
				5					10				15	
Phe	Phe	Gly	Pro	Gly										
				20										

<210> 82
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST specimen of RA patients
 <400> 82

tattttctgtg ccagcagcca ggggactagc gggatcactg agcagttctt cgggccagga 60

<210> 83
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST specimen of RA patient
 <400> 83

```
<210>      84
<211>      60
<212>      DNA
<213>      Artificial
<220>
<221>
<223>      CDR3 nucleic acid sequence of BV16 clonotype derived from ST
specimen of RA patients
<400>      84
```

```
<210>      85
<211>      20
<212>      PRT
<213>      Homo sapiens
<220>
<221>      Domain
<223>      CDR3 amino acid sequence of BV16 clonotype derived from ST
specimen of RA patient
<400>      85
```

```
<210>      86
<211>      60
<212>      DNA
<213>      Artificial
<220>
<221>
<223>      CDR3 nucleic acid sequence of BV16 clonotype derived from ST
specimen of RA patients
<400>      86
```

<210>	87
<211>	20
<212>	PRT
<213>	<i>Homo sapiens</i>
<220>	
<221>	Domain

<223> CDR3 amino acid sequence of BV16 clonotype derived from ST
specimen of RA patient
<400> 87

Tyr Phe Cys Ala Ser Pro Leu Gly Thr Ala Leu Ser Tyr Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 88
<211> 60
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
specimen of RA patients
<400> 88

tattttctgtg ccagccccct tgggacagcg ctatcctacg agcagtactt cgggccgggc 60

<210> 89
<211> 20
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV16 clonotype derived from ST
specimen of RA patient
<400> 89

Tyr Phe Cys Ala Ser Ser Gln Ala Asp Gly Thr His Tyr Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 90
<211> 60
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
specimen of RA patients
<400> 90

tattttctgtg ccagcagcca agctgacggg acccattacg agcagtactt cgggccgggc 60

<210> 91
<211> 20
<212> PRT
<213> *Homo sapiens*
<220>

<221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST specimen of RA patient
 <400> 91

Tyr Phe Cys Ala Ser Ser Gln Asp Lys Gly His Phe Tyr Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 92
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST specimen of RA patients
 <400> 92

tattttctgtg ccagcagcca agataaggga cacttctacg agcagtactt cgggccgggc 60

<210> 93
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST specimen of RA patient
 <400> 93

Tyr Phe Cys Ala Ser Ser Gln Ala Asp Gly Thr His Tyr Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 94
 <211> 60
 <212> DNA
 <213> *artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST specimen of RA patients
 <400> 94

tattttctgtg ccagcagcca agctgacggg acccattacg agcagtactt cgggccgggc 60

<210> 95
 <211> 20
 <212> PRT
 <213> *Homo sapiens*

<220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST
 specimen of RA patient
 <400> 95

Tyr Phe Cys Ala Ser Ser Trp Gly Gly Thr Asp Ile Tyr Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 96
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 96

tatttctgtg ccagcagctg gggcgggaca gacatctacg agcagtactt cgggccgggc 60

<210> 97
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST
 specimen of RA patient
 <400> 97

Tyr Phe Cys Ala Ser Ser Leu Leu Gly Thr Val Ser Tyr Glu Gln
 5 10 15
 Phe Phe Gly Pro Gly
 20

<210> 98
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 98

tatttctgtg ccagcagcct tctcggcaca gtatcctacg agcagtactt cgggccgggc 60

<210> 99
 <211> 18
 <212> PRT

<212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST
 specimen of RA patient
 <400> 103

Tyr Phe Cys Ala Ser Arg Ala Ser Arg Tyr Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 104
 <211> 54
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 104

tatttctgtg ccagcagggc aagcaggtac actgaagctt tctttggaca aggc 54

<210> 105
 <211> 18
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST
 specimen of RA patient
 <400> 105

Tyr Phe Cys Ala Ser Ser Thr Gly Val Asn Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 106
 <211> 54
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 106

tatttctgtg ccagcaggtac aggggtgaac actgaagctt tctttggaca aggc 54

<210> 107
 <211> 18
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST
 specimen of RA patient
 <400> 107

Tyr Phe Cys Ala Ser Ser Leu Thr Thr Asn Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 108
 <211> 54
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 108

tattttctgtg ccagcagcct cacaacgaac actgaagctt tcttttgaca aggc 54

<210> 109
 <211> 18
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV16 clonotype derived from ST
 specimen of RA patient
 <400> 109

Tyr Phe Cys Ala Ser Ser Gln Asp Ser Tyr Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 110
 <211> 54
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
 specimen of RA patients
 <400> 110

tattttctgtg ccagcagcca agattcgtac actgaagctt tctttggaca aggc 54

<210> 111
<211> 18
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV16 clonotype derived from ST
specimen of RA patient
<400> 111

Tyr Phe Cys Ala Ser Ser Trp Gly Gly Asn Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 112
<211> 54
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV16 clonotype derived from ST
specimen of RA patients
<400> 112

tattttctgtg ccagcagctg ggggggcaac actgaagctt tctttggaca aggc 54

<210> 113
<211> 20
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 113

Tyr Phe Cys Ala Ser Ser Pro Thr Arg Asp Arg Gly Asn Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 114
<211> 63
<212> DNA
<213> *Artificial*
<220>
<221>

<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 114

tactttctgtg ccagcagttc cacgcgggac aggggaaata atgagcagtt cttcgggcca 60
gga

<210> 115
<211> 22
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 115

Tyr Phe Cys Ala Ser Ser Ser Pro Ile Ala Gly Ser Ser Tyr Asn
5 10 15
Glu Gln Phe Phe Gly Pro Gly
20

<210> 116
<211> 63
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 116

tactttctgtg ccagcagttc cccaatagcg gggagctcca atgagcagtt cttcgggcca 60
gga

<210> 117
<211> 20
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 117

Tyr Phe Cys Ala Ser Ser Phe Trp Ala Pro Thr Asp Asn Glu Gln
5 10 15
Phe Phe Gly Pro Gly
20

<210> 118

<211> 63
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 118

tactttctgtg ccagcagttt ctgggcccct acggacaata atgagcagtt cttcgggcca 60
gga

<210> 119
 <211> 21
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 119

Tyr Phe Cys Ala Ser Ser Ser Ser Ser Pro Thr Ser Tyr Asn Glu
 5 10 15
 Gln Phe Phe Gly Pro Gly
 20

<210> 120
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 120

tactttctgtg ccagcagttc tagcagcccc acctcctacg agcagttcctt cgggccagga 60

<210> 121
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 121

Tyr Phe Cys Ala Ser Ser Pro Arg Glu Gly Leu Leu Asn Glu Gln
 5 10 15

Phe Phe Gly Pro Gly
20

<210> 122
<211> 63
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 122

tacttctgtg ccagcagccc tagggagggc ctctcaata atgagcagtt cttcgggcca 60
gga

<210> 123
<211> 21
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 123

Tyr Phe Cys Ala Ser Ser Pro Trp Thr Ser Gly Ser Gly Asn Glu
5 10 15
Gln Phe Phe Gly Pro Gly
20

<210> 124
<211> 60
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 124

tacttctgtg ccagcagtc ctggactagc gggagtgggtg agcagttctt cgggccagga 60

<210> 125
<211> 19
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 125

Tyr Phe Cys Ala Ser Ser Leu Arg Thr Arg Phe Tyr Glu Gln Tyr
 5 10 15
Phe Gly Pro Gly

<210> 126
<211> 57
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 126

tactttctgtg ccagcagttt aaggacacgc ttctacgagc agttcttcgg gccagga 57

<210> 127
<211> 20
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 127

Tyr Phe Cys Ala Ser Ser Leu Thr Ser Gly Arg Gln Tyr Glu Gln
 5 10 15
Tyr Phe Gly Pro Gly
 20

<210> 128
<211> 60
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 128

tactttctgtg ccagcagttt gaccagcggg cgtcagtacg agcagttcctt cgggccagga 60

<210> 129
<211> 20
<212> PRT


```
<213>      Homo sapiens
<220>
<221>      Domain
<223>      CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400>      129
```

```
<210>      130
<211>      60
<212>      DNA
<213>      Artificial
<220>
<221>
<223>      CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400>      130
```

```
<210>      131
<211>      20
<212>      PRT
<213>      Homo sapiens
<220>
<221>      Domain
<223>      CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400>      131
```

<210>	132
<211>	60
<212>	DNA
<213>	<i>Artificial</i>
<220>	
<221>	
<223>	CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients
<400>	132

<210> 133

<211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 133

Tyr Phe Cys Ala Ser Ser Ser Gly Gly Ser Leu Phe Tyr Glu Gln
 5 10 15
 Tyr Phe Gly Pro Gly
 20

<210> 134
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 134

tactttctgtg ccagcagttc cgggggcagt ctgttctacg agcagttctt cgggccagga 60

<210> 135
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 135

Tyr Phe Cys Ala Ser Ser Pro Ser Ile Ser Ser His Tyr Glu Gln
 5 10 15
 Tyr Phe Gly Pro Gly
 20

<210> 136
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 136

tactttctgtg ccagcagccc aagtattagt tcccactacg agcagttctt cgggccagga 60

<210> 137
 <211> 19
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 137

Tyr Phe Cys Ala Ser Ser Arg Asp Gly Val Ser Tyr Glu Gln Tyr
 5 10 15
 Phe Gly Pro Gly

<210> 138
 <211> 57
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 138

tacttctgtg ccagcagtcg tgatgggggc tcctacgagc agttcttcgg gccagga 57

<210> 139
 <211> 19
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 139

Tyr Phe Cys Ala Ser Ser Leu Ser Ser Thr Gly Arg Glu Gln Tyr
 5 10 15
 Phe Gly Pro Gly

<210> 140
 <211> 57
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients
 <400> 140

tactttctgtg ccagcagttt atcttcgaca gggagggagc agtacttcgg gccgggc 57

<210> 141
<211> 20
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients
<400> 141

Tyr Phe Cys Ala Ser Ser Leu Ser Phe Arg Leu Asp Tyr Glu Gln
5 10 15
Tyr Phe Gly Pro Gly
20

<210> 142
<211> 60
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients
<400> 142

tactttctgtg ccagcagttt atcgtttaga ctagactacg agcagttcctt cgggccagga 60

<210> 143
<211> 20
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients
<400> 143

Tyr Phe Cys Ala Ser Ser Pro Ser Gly Gln Gly Ser Tyr Glu Gln
5 10 15
Tyr Phe Gly Pro Gly
20

<210> 144
<211> 60
<212> DNA
<213> *Artificial*

<220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
 specimen of RA patients
 <400> 144

tactttctgtg ccagcagtcg gtcgggacag gggtcctacg agcagttctt cgggccagga 60

<210> 145
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST
 specimen of RA patients
 <400> 145

Tyr	Phe	Cys	Ala	Ser	Ser	Phe	Gly	Thr	Val	Leu	Ser	Tyr	Glu	Gln
				5					10				15	
Tyr	Phe	Gly	Pro	Gly										
				20										

<210> 146
 <211> 60
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
 specimen of RA patients
 <400> 146

tactttctgtg ccagcagttt tgggacagtc ctctcctacg agcagttctt cgggccagga 60

<210> 147
 <211> 20
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST
 specimen of RA patients
 <400> 147

Tyr	Phe	Cys	Ala	Ser	Ser	Pro	Arg	Leu	Ala	Gly	Asp	Lys	Glu	Gln
				5					10				15	
Tyr	Phe	Gly	Pro	Gly										
				20										

<400> 151

Tyr Phe Cys Ala Ser Ser Leu Ile Gly Gly Asn Glu Lys Leu Phe
5 10 15
Leu Gly Ser Gly

<210> 152

<211> 57

<212> DNA

<213> *Artificial*

<220>

<221>

<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 152

tacttctgtg ccagcagttt gatagggggc aatgaaaaac tgtttttttg cagtgga 57

<210> 153

<211> 18

<212> PRT

<213> *Homo sapiens*

<220>

<221> Domain

<223> CDR3 amino acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 153

Tyr Phe Cys Ala Ser Ser Leu Ser Gln Glu Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 154

<211> 53

<212> DNA

<213> *Artificial*

<220>

<221>

<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST specimen of RA patients

<400> 154

tacttctgtg ccagagttta tcccaggaaa ctgaagcttt ctttggacaa ggc 53

<210> 155

<211> 19

<212> PRT

<210> 159
 <211> 18
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST
 specimen of RA patients
 <400> 159

Tyr Phe Cys Ala Ser Ser Pro Arg Val Asn Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 160
 <211> 53
 <212> DNA
 <213> *Artificial*
 <220>
 <221>
 <223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
 specimen of RA patients
 <400> 160

tactttctgtg ccagagtccc cgggtcaaca ctgaagcttt ctttggacaa ggc 53

<210> 161
 <211> 18
 <212> PRT
 <213> *Homo sapiens*
 <220>
 <221> Domain
 <223> CDR3 amino acid sequence of BV14 clonotype derived from ST
 specimen of RA patients
 <400> 161

Tyr Phe Cys Ala Ser Ser Leu Ser Gln Glu Thr Glu Ala Phe Phe
 5 10 15
 Gly Gln Gly

<210> 162
 <211> 53
 <212> DNA
 <213> *Artificial*
 <220>
 <221>

<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 162

tactttctgtg ccagagttta tcccaggaaa ctgaagcttt ctttggacaa ggc 53

<210> 163
<211> 18
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 163

Tyr Phe Cys Ala Ser Ser Leu Gly Arg Asn Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 164
<211> 54
<212> DNA
<213> *Artificial*
<220>
<221>
<223> CDR3 nucleic acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 164

tactttctgtg ccagcagcct agggaggaac actgaagctt tctttggaca aggc 54

<210> 165
<211> 18
<212> PRT
<213> *Homo sapiens*
<220>
<221> Domain
<223> CDR3 amino acid sequence of BV14 clonotype derived from ST
specimen of RA patients
<400> 165

Tyr Phe Cys Ala Ser Ser Ser Arg Gly Tyr Thr Glu Ala Phe Phe
5 10 15
Gly Gln Gly

<210> 166
<211> 54

